



# Environmental Bulletin

Volume 24 Number 3  
March 30, 2012

*from the Savannah River Site*

## **FLOODPLAIN AND WETLAND ASSESSMENT ISSUED FOR THE LOWER THREE RUNS INTEGRATOR OPERABLE UNIT TAIL PORTION (MIDDLE AND LOWER SUBUNITS) AT THE SAVANNAH RIVER SITE**

A Floodplain and Wetland Assessment has been prepared in compliance with 10 CFR Part 1022 as documentation of the potential impacts of a time-critical removal action under CERCLA selected to manage potential risks along the Lower Three Runs (LTR) tail. The assessment examines the impacts of the removal action within three discreet locations within the Lower Three Runs floodplain. The actions include the excavation of contaminated soil in LTR floodplain wetlands, the installation of additional fencing and fence posts along the Department of Energy property lines adjacent to Lower Three Runs, and the installation of no-trespassing signs and sign posts along the Department of Energy property lines adjacent to LTR. The removal action excavation sites are located in the 100-year floodplain of the Lower Three Runs within Barnwell County, South Carolina and Allendale County, South Carolina. The fifteen (15) day public comment period will be from March 30, 2012 to April 14, 2012. A Statement of Findings will be issued following the public comment period.

Copies of the Floodplain and Wetland Assessment for the Lower Three Runs Removal Action at the Savannah River Site are available in the Administrative Record. The Administrative Record is available in the information repositories listed below:

DOE Public Reading Room at the Gregg-Graniteville Library at the University of South Carolina (USC)-Aiken campus in Aiken, SC; and  
Thomas Cooper Library Government Documents Department at USC in Columbia, SC.

Hard copies of the referenced assessment are available at the following locations:

Reese Library Government Information Section at Augusta State University in Augusta, GA; and  
Asa H. Gordon Library at Savannah State University in Savannah, GA.

Comments on the Floodplain Assessment should be direct to Mr. Paul Sauerborn at the address listed below:

Paul Sauerborn  
Savannah River Nuclear Solutions, LLC  
Savannah River Site  
Building 730-1B  
Aiken, SC 29808  
1-803-952-6658  
[paul.sauerborn@srs.gov](mailto:paul.sauerborn@srs.gov)

# MAILING LIST

Name \_\_\_\_\_

Email: \_\_\_\_\_

Mailing Address: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_ Add to mail list

\_\_\_\_\_ Remove from mail list

\_\_\_\_\_ Correct my address

**Mail to:**

**SRS Environmental Bulletin  
Savannah River Site  
Building 730-1B  
Aiken, S.C. 29808**



The SRS Environmental Bulletin  
Savannah River Site  
Building 730-1B  
Aiken, S.C. 29808



---

## **The SRS Environmental Bulletin**

**For more information on this or  
other environmental and compli-  
ance activities at SRS, contact:**

**Paul Sauerborn**

**Savannah River Nuclear Solutions, LLC**

**Aiken, S.C. 29808**

**Public Involvement**

**(803) 952-6658**

**email: [paul.sauerborn@srs.gov](mailto:paul.sauerborn@srs.gov)**

---